





इन्दिरा गांधी राष्ट्रीय कला केन्द्र

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS

Sutradhara

Janpath, New Delhi-110 001 Tel.: 91-11-23388280 Website: www.ignca.nic.in

F .No. 7/1(33)/2021-22/SD/EMU Date: 22.07.2022

Subject: - Aluminum Partition work at IGNCA, New Delhi

Notice Inviting Quotation

Sealed percentage rate quotations are invited on behalf of Indira Gandhi National Centre for the Arts (IGNCA), New Delhi for the work mentioned above.

Quotations duly filled signed and sealed as mentioned in Schedule of quantity (Annexure - A) shall be submitted manually in the office of the under Secretary, Estate Management Unit, IGNCA, Janpath Building New Delhi-110001 by 25.07.2022 on or before 03:00 pm.

The terms & conditions are applicable on above mentioned work as mentioned on **Annexure – B**.

(Bijender)

Under Secretary

Terms & Conditions:-

- 1. The work shall be executed as per CPWD specification.
- 2. No secured advance etc. shall be paid or allowed to the contractor.
- **3.** The rates quoted by the vendor are including of all Taxes/GST etc and nothing shall be paid on account of any taxes what so ever.
- 4. In the case of Extra Item(s) & substituting items being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate (approved in CPWD) (at the time of NIQ) enhancement or abutment of the NIQ.
- **5.** The vendor will have to observe all the prevalent laws including contract labor laws, safety laws etc.
- 6. No escalation on account of increase of labor wages or material is admissible.
- 7. No reimbursement is admissible on account of levy of any tax etc.
- **8.** If contractor or his worker damages any property of the IGNCA, the recovery will be made from the contractor as decided by the Engineer-In- Charge, and decision of Engineer-In-Charge is final and binding.
- **9.** All the safety rules should be followed by the Engineer/Technicians of the firm while working in IGNCA, Institute has no liabilities in case of any accident/mishap.
- 10. Vendor warrants that all Products, at the time of execution of work will conform with all written specifications provided from time to time by Engineer in charge, (b) will be free of defects in material, workmanship, and design, and (c) will comply with all applicable laws and regulations.
- 11. The IGNCA reserves the right to reject any material if not found satisfactory.
- 12. The payment will be made after satisfactory completion of above mentioned work.
- **13.** Final amount will be calculated after the completion of the aforesaid work as per actual measurement.
- **14.** Please also note that the scope of work may be reduced from the estimated quantities and no claim on this account will be entertained.
- **15.** Please also note that if the scope of work increased from the estimated quantities then, the payment will be done as per quoted rate.
- 16. The Quotations duly filled as mentioned in Schedule of quantity (Annexure A) and signed and sealed and the sealed quotation shall be submitted manually in the office address of The Under Secretary, Estate Management Unit, IGNCA, New Delhi-110001

Name	•
Designation	•
Company with Seal	•
Address	•
	•••••••

E							
-	Estate Manager Subject: Aluminium	nent Unit					
Pr	Providing and Swig Description of Item						
pa	Williams with out	Qnty	Unit	Rate	Amount		
se	ections and other sections of approved make conforming to IS: 733 and IS:						
13	285, fixing with deals (285, f						
fil	ling up the gaps at including to 15: 733 and 15:						
E	2.85, fixing with dash fasteners of required dia and size, including necessary PDM rubber/ eoprepagasts.						
n	eoprene gasket etc. Aluminium sections shall be smooth, rust free, straight,						
A	nitred and jointed mechanically wherever required including cleat angle,						
s	luminium snap beading for glazing / paneling, C.P. brass / stainless steel crews, all complete as per architectural drawings and the state of the st						
le le	crews, all complete as per architectural drawings and the directions of						
,	ingineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): for fixed portion powder as a set of the paid for separately):		1				
	separately): for fixed portionPowder coated aluminium (minimum thickness of powder coating 50 micron)						
1	coating 50 micron)						
	For shutters of doors windows 2	48	kg	466.3	22382.4		
1	For shutters of doors, windows & ventilators including						
1	providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost			1			
	of EPDM rubber / neoprene gasket required (Fittings						
2	shall be paid for separately)		1				
	Providing and fixing 12 mm thick prelaminated particle board flatpressed three	148	kg	564.8	83590.4		
	layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in						
	panelling fixed in aluminum doors, windows shutters and partition frames with						
	C.P. brass / stainless steel screws etc. complete as per architectural drawings						
	and directions of engineerin- chargePre-laminated particle board with						
	decorative lamination on both sides						
3		8	sqm	951.05	7608.4		
	Providing and fixing glazing in aluminium door, window, ventilator shutters		54	331.03	7608.4		
	and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per						
	the architectural drawings and the directions of engineer-in-charge . With float	8	sqm	1325.55	10604.4		
4	glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)						
4	Providing and full columns to the same of						
	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic						
	coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 250x10 mm	6	Nos	104.4	626.4		
5	required colodi of shade, with necessary screws etc. complete :250x10 mm			20	020.4		
	Providing and fixing Brass 100mm mortice latch and lock with 6						
	levers without pair of handles (best make of approved quality) for	,					
	aluminium doors including necessary cutting and making good etc.	3	Nos	449.55	1348.65		
6	complete.						
	Providing and fixing aluminium hanging floor door stopper, ISI marked,						
	anodised (anodic coating not less than grade AC 10 as per IS: 1868)	,					
_	transparent or dyed to required colour and shade, with necessary screws etc.	3	Nos	62.25	186.75		
7	complete.Twin rubber stopper						
	Providing and fixing aluminium die cast body tubular type universal						
	hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the	3	Nos	1025.65	2076.05		
8	body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	•	1103	1023.03	3076.95		
	Providing and fixing aluminium round shape handle of outer dia 100						
	mm with SS screws etc. complete as per direction of Engineer-inchargePowder						
9	coated minimum thickness 50 micron aluminium	6	Nos	89.6	537.6		
	Total				400006 57		
		129961.95					
	Quoted Percentage (Above/be						
	Grand Total						